

# Outdoor Enclosure Selection Guide



**EH1512 SERIES  
SMALL**

| Model Number | Maximum Size Camera and Lens                              | VAC | Power Consumption | Tamper-Resistant Hardware | Heater | Blower | Defroster | Wall Mount | Sunshroud | Options*                            | Suggested Mounts                           |
|--------------|---|-----|-------------------|---------------------------|--------|--------|-----------|------------|-----------|-------------------------------------|--|
| EH1512       | 14.39" L x 4.47" W x 3.78" H<br>(36.55 x 11.35 x 9.60 cm) | N/A | N/A               | —                         | —      | —      | —         | —          | —         | Defroster, Marine Kit, Security Kit | EM1512 <sup>†</sup><br>EM1450 <sup>‡</sup> |
| EH1512MT     |   | N/A | N/A               | —                         | —      | —      | —         | ✓          | —         |                                     |  |
| EH1512-1     |   | 120 | 25 W              | —                         | ✓      | ✓      | —         | —          | —         |                                     |  |
| EH1512-2     |   | 24  | 12 W              | —                         | ✓      | ✓      | —         | —          | —         |                                     |  |
| EH1512-3     |   | 230 | 25 W              | —                         | ✓      | ✓      | —         | —          | —         |                                     |  |
| EH1512-1MT   |   | 120 | 25 W              | —                         | ✓      | ✓      | —         | ✓          | —         |                                     |  |
| EH1512-2MT   |   | 24  | 12 W              | —                         | ✓      | ✓      | —         | ✓          | —         |                                     |  |
| EH1512-3MT   |   | 230 | 25 W              | —                         | ✓      | ✓      | —         | ✓          | —         |                                     |  |
| EH1512-1MTS  |   | 120 | 25 W              | —                         | ✓      | ✓      | —         | ✓          | ✓         |                                     |  |
| EH1512-2MTS  |   | 24  | 12 W              | —                         | ✓      | ✓      | —         | ✓          | ✓         |                                     |  |
| EH1512-3MTS  |   | 230 | 25 W              | —                         | ✓      | ✓      | —         | ✓          | ✓         |                                     |  |



**EH2500 SERIES  
SMALL, RAIN- AND  
DUSTPROOF**

|          |  |     |      |   |   |   |   |   |   |            |  |
|----------|--|-----|------|---|---|---|---|---|---|------------|--|
| EH2508   | 6.25" L x 2.75" W x 2.75" H<br>(15.88 x 6.99 x 6.99 cm)  | N/A | N/A  | ✓ | — | — | — | — | — | Sun Shroud | EM1450 <sup>†</sup><br>EM3000 <sup>‡</sup> |
| EH2508-1 | 5.25" L x 2.75" W x 2.75" H<br>(13.34 x 6.99 x 6.99 cm)  | 120 | 41 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2508-2 |  | 24  | 38 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2508-3 |  | 230 | 43 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2512   | 10.25" L x 2.75" W x 2.75" H<br>(26.04 x 6.99 x 6.99 cm) | N/A | N/A  | ✓ | — | — | — | — | — |            |  |
| EH2512-1 | 9.25" L x 2.75" W x 2.75" H<br>(23.50 x 6.99 x 6.99 cm)  | 120 | 41 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2512-2 |  | 24  | 38 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2512-3 |  | 230 | 43 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2515   | 13.25" L x 2.75" W x 2.75" H<br>(33.66 x 6.99 x 6.99 cm) | N/A | N/A  | ✓ | — | — | — | — | — |            |  |
| EH2515-1 | 12.25" L x 2.75" W x 2.75" H<br>(13.12 x 6.99 x 6.99 cm) | 120 | 41 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2515-2 |  | 24  | 38 W | ✓ | ✓ | — | ✓ | — | — |            |  |
| EH2515-3 |  | 230 | 43 W | ✓ | ✓ | — | ✓ | — | — |            |  |

\* Refer to specification sheet for applicable model numbers.

<sup>†</sup> Wall mount

<sup>‡</sup> Ceiling mount (indoor applications only)

# Outdoor Enclosure Selection Guide



**EH3500 SERIES  
SMALL**

| Model Number | Maximum Size Camera and Lens                             | VAC | Power Consumption | Heater | Blower | Defroster | Options*   | Suggested Mounts  |
|--------------|--|-----|-------------------|--------|--------|-----------|------------|---|
| EH3508       | 6.80" L x 2.87" W x 3.00" H<br>(17.27 x 7.28 x 7.62 cm)  | N/A | N/A               | —      | —      | —         | Sun Shroud | EM1450 <sup>†</sup><br>EM3000 <sup>‡</sup>                        |
| EH3508-1     | 5.00" L x 2.87" W x 3.00" H<br>(12.70 x 7.28 x 7.62 cm)  | 120 | 25 W              | ✓      | —      | ✓         |            |   |
| EH3508-2     |  | 24  | 20 W              | ✓      | —      | ✓         |            |   |
| EH3508-3     |  | 230 | 43 W              | ✓      | —      | ✓         |            |   |
| EH3512       | 10.25" L x 2.87" W x 3.00" H<br>(26.03 x 7.28 x 7.62 cm) | N/A | N/A               | —      | —      | —         |            | EM1450 <sup>†</sup><br>EM3000 <sup>‡</sup><br>EM3512 <sup>§</sup> |
| EH3512-1     | 9.00" L x 2.87" W x 3.00" H<br>(22.86 x 7.28 x 7.62 cm)  | 120 | 25 W              | ✓      | ✓      | ✓         |            |   |
| EH3512-2     |  | 24  | 20 W              | ✓      | ✓      | ✓         |            |   |
| EH3512-3     |  | 230 | 43 W              | ✓      | ✓      | ✓         |            |   |
| EH3512-1HD   | 10.00" L x 2.87" W x 3.00" H<br>(25.40 x 7.28 x 7.62 cm) | 120 | 25 W              | ✓      | —      | ✓         |            |   |
| EH3512-2HD   |  | 24  | 20 W              | ✓      | —      | ✓         |            |   |
| EH3512-3HD   |  | 230 | 43 W              | ✓      | —      | ✓         |            |   |
| EH3515       | 13.25" L x 2.87" W x 3.00" H<br>(33.66 x 7.28 x 7.62 cm) | N/A | N/A               | —      | —      | —         |            | EM1450 <sup>†</sup><br>EM3000 <sup>‡</sup>                        |
| EH3515-1     | 12.00" L x 2.87" W x 3.00" H<br>(30.48 x 7.28 x 7.62 cm) | 120 | 25 W              | ✓      | ✓      | ✓         |            |   |
| EH3515-2     |  | 24  | 20 W              | ✓      | ✓      | ✓         |            |   |
| EH3515-3     |  | 230 | 43 W              | ✓      | ✓      | ✓         |            |   |
| EH3515-1HD   | 13.00" L x 2.87" W x 3.00" H<br>(33.02 x 7.28 x 7.62 cm) | 120 | 25 W              | ✓      | —      | ✓         |            |   |
| EH3515-2HD   |  | 24  | 20 W              | ✓      | —      | ✓         |            |   |
| EH3515-3HD   |  | 230 | 43 W              | ✓      | —      | ✓         |            |   |



**EH4700 SERIES  
MEDIUM**

|          |  |     |      |   |   |   |  |                                |
|----------|--|-----|------|---|---|---|--|--------------------------------|
| EH4718   | 17.00" L x 5.50" W x 4.25" H<br>(43.18 x 13.97 x 10.79 cm) | N/A | N/A  | — | — | — | Defroster,<br>Sun Shroud,<br>Thermal<br>Insulation | EM22 <sup>†</sup><br>EM1009U** |
| EH4718-1 | 13.00" L x 4.75" W x 4.25" H<br>(33.02 x 12.07 x 10.79 cm) | 120 | 68 W | ✓ | ✓ | — |  |                                |
| EH4718-2 |  | 24  | 58 W | ✓ | ✓ | — |  |                                |
| EH4718-3 |  | 230 | 63 W | ✓ | ✓ | — |  |                                |
| EH4722   | 21.00" L x 5.50" W x 4.25" H<br>(53.34 x 13.97 x 10.79 cm) | N/A | N/A  | — | — | — |  |                                |
| EH4722-1 | 17.00" L x 4.75" W x 4.25" H<br>(43.18 x 12.07 x 10.79 cm) | 120 | 68 W | ✓ | ✓ | — |  |                                |
| EH4722-2 |  | 24  | 58 W | ✓ | ✓ | — |  |                                |
| EH4722-3 |  | 230 | 63 W | ✓ | ✓ | — |  |                                |

\*Refer to specification sheet for applicable model numbers.

<sup>†</sup>Wall mount

<sup>‡</sup>Ceiling mount (indoor applications only)

<sup>§</sup>Compatible with EH3512, EH3512-2, and EH3512-2HD models only.

\*\*Pedestal mount

# Outdoor Enclosure Selection Guide



**EH4700DB SERIES  
MEDIUM, TOP MOUNT**

| Model Number | Maximum Size Camera and Lens                              | VAC | Power Consumption | Heater | Blower | Defroster | Options*            | Suggested Mounts                             |
|--------------|---|-----|-------------------|--------|--------|-----------|---------------------|--|
| EH4712DB     | 12.50" L x 3.50" W x 4.00" H<br>(31.75 x 8.89 x 10.16 cm) | N/A | N/A               | —      | —      | —         | Defroster, Lock Kit | EM1900U <sup>†</sup><br>EM1009U <sup>‡</sup> |
| EH4712DB-1   | 8.50" L x 3.50" W x 4.00" H<br>(21.59 x 8.89 x 10.16 cm)  | 120 | 68 W              | ✓      | ✓      | —         |                     |  |
| EH4712DB-2   |   | 24  | 58 W              | ✓      | ✓      | —         |                     |  |
| EH4712DB-3   |   | 230 | 63 W              | ✓      | ✓      | —         |                     |  |
| EH4718DB     | 16.50" L x 3.50" W x 4.00" H<br>(41.91 x 8.89 x 10.16 cm) | N/A | N/A               | —      | —      | —         |                     |  |
| EH4718DB-1   | 12.50" L x 3.50" W x 4.00" H<br>(21.59 x 8.89 x 10.16 cm) | 120 | 68 W              | ✓      | ✓      | —         |                     |  |
| EH4718DB-2   |   | 24  | 58 W              | ✓      | ✓      | —         |                     |  |
| EH4718DB-3   |   | 230 | 63 W              | ✓      | ✓      | —         |                     |  |



**EH5700 SERIES  
LARGE**

|          |  |     |       |   |   |   |   |  |
|----------|--|-----|-------|---|---|---|---|--|
| EH5723   | 22.00" L x 7.50" W x 5.50" H<br>(55.88 x 19.05 x 13.97 cm) | N/A | N/A   | — | — | — | Defroster, Sun Shroud, Thermal Insulation, Window Wiper | EM22 <sup>†</sup><br>MM22 <sup>‡</sup> |
| EH5723-1 | 15.50" L x 6.25" W x 5.50" H<br>(39.37 x 15.88 x 13.97 cm) | 120 | 105 W | ✓ | ✓ | — |   |  |
| EH5723-2 |  | 24  | 60 W  | ✓ | ✓ | — |   |  |
| EH5723-3 |  | 230 | 85 W  | ✓ | ✓ | — |   |  |
| EH5729   | 28.00" L x 7.50" W x 5.50" H<br>(71.12 x 19.05 x 13.97 cm) | N/A | N/A   | — | — | — |   |  |
| EH5729-1 | 21.50" L x 6.25" W x 5.50" H<br>(54.61 x 15.88 x 13.97 cm) | 120 | 105 W | ✓ | ✓ | — |   |  |
| EH5729-2 |  | 24  | 60 W  | ✓ | ✓ | — |   |  |
| EH5729-3 |  | 230 | 85 W  | ✓ | ✓ | — |   |  |

\*Refer to specification sheet for applicable model numbers.

<sup>†</sup>Wall mount

<sup>‡</sup>Ceiling mount